

To: Hodgkiss, Kathy[Hodgkiss.Kathy@epa.gov]
Cc: Melvin, Karen[Melvin.Karen@epa.gov]
From: Rose, Kenneth
Sent: Thur 1/30/2014 3:12:59 PM
Subject: FW: AX-14-000-4377-WH Chemical spill contaminated water supply
[Scan Correspondence to Existing Control 2.pdf](#)
[PrintPDF.pdf](#)

Kathy,

Just making you aware that there is another Control in on WV. This one also has a water focus so has been routed to WPD for lead with any input from HSCD if necessary.

Thanks,

Ken

Kenneth I. Rose III, Acting Communications Coordinator

Hazardous Site Cleanup Division

U.S. Environmental Protection Agency (Region III)

215.814.3147

rose.kenneth@epa.gov

From: Graff, Jeannine
Sent: Thursday, January 30, 2014 10:03 AM
To: Watson, Josephine
Cc: Browne, Gladys; Ferrell, Mark; saxe, jennie; janson, laura; Ides, Nan; Rose, Kenneth; R3 Control; Jones, Celia
Subject: AX-14-000-4377-WH Chemical spill contaminated water supply

Josephine:

This is for the DD's signature. The Due Date is Feb. 11th.

WPD is the Lead, to coordinate with HSCD as necessary.

A hard copy will be in WPD's inbox on the 16th floor.

Thanks,

Jeannine